



FIG.1A

FIG.1B









FIG.3


				<u> </u>	
	RECORD NO.	FILE NAME	FOLDER ATTRIBUTE		FLAG
	001	Still1104			1
	002	Still0103			
2)	;)	?	Š
	015				

FIG.4



à

FIG.5




RECORD	CONTACT INFORMATION					
NO.	NAME	TELEPHONE NO.	E-MAIL ADDRESS	PRESENCE/ ABSENCE OF LINK		
003	УОКО АКІМОТО	09012345678	akimoto@xxx.com	·····		
002	AKIKO SUZUKI	08020005678	akiko@xxx.com			
001	REI TANAKA	09010001111	rei@xxx.com	1		
~ ~	(((((₩ >>>>		
				((

FIG.7

<u>173</u>

	RECORD NO. IN ADDRESS BOOK DATA STORAGE AREA 172	RECORD NO. IN IMAGE MEMORY 10
	001	001
Â	=	
,		

FIG.8






FIG.10A




FIG.11A




FIG.10B





FIG.11B

Til 400 23:45 FIG.12A 2002.06.21 ENTER Y11 -00 23:45 FIG.12B 2002.06.21 ENTER **Y**iii dIII) 23:45 FIG.12C

ENTER






FIG.14







FIG.15







3

FIG. 18




FIG.19




FIG.20A

FIG.20B

FIG.20C




FIG.20D

FIG.20E

FIG.20F




FIG.21





FIG.22



CAMERA (PHOTOGRAPHY) ITEM	ACTIVATION OF CAMERA DURING ADDRESS BOOK EDITION (DIFFERENCE FROM ACTIVATION OF CAMERA FROM WAITING STATE)
FRAME	0
IMAGE PICKUP EFFECT	0
MACRO SETTING	0
IMAGE PICKUP LIGHT SETTING	0
SELF-TIMER SETTING	0
WHITE BALANCE	0
IMAGE PICKUP MODE	MOBILE (120×160)
	WALLPAPER (240×320)
	VGA (640×480) X
	SXGA (1280×960) X
	UXGA (1600×1200) X
	PANORAMA (1280×320)
	COUPLING SHOT (HORIZONTAL DIVISIONAL PHOTOGRAPHY)
	UP-DOWN SHOT (VERTICAL DIVISIONAL PHOTOGRAPHY)
	CONTINUOUS FULL SAVING AFTER CONTINUOUS IMAGE PICKUP
1MAGE QUALITY SETTING	X (SINCE IT IS EFFECTIVE IN PHOTOGRAPHY) WITH SIZE EQUAL TO OR ABOVE VGA)
GPS INFORMATION ADDITION	
IMAGE PICKUP SETTING	O(DATE STAMP, SHUTTER SOUND SELECTION, SELF-TIMER TIME, AUTO-FOCUS SETTING, INFORMATION DISPLAY, EMPTY FOLDER CAPACITY)

FIG.24




FIG.25




FIG.26C

Exif HEADER		
IMAGE ADDITION	Exif INFORMATION	
INFORMATION	THUMBNAIL IMAGE DATA (120×160)	
·	ORIGINAL DATA	
DATA	MOBILE (120×160) WALLPAPER (240×320) VGA (640×480) SXGA (1280×960) UXGA (1600×1200) PANORAMA (1280×320)	

FIG.27




FIG.28




FIG.29